

Solicitation Amendment No. 003

To: Prospective Bidder/Offeror:	Date:
Prospective Proposers	April 9, 2019
Project Title:	Project No.:
Video Podcast Recording Studio	Q19-30

The Request for Quotation (No. Q19-30) is hereby amended as set forth below:

- Question and Answer is attached below.

Except as provided herein, all terms and conditions of the solicitation remain unchanged and in full force and effect.

Company Name (Bidder/Offeror):	
Signed by:	Date:
Name (Type or Print):	Title:

REQUEST FOR PROPOSAL

PROJECT NO. Q19-30

Video Podcast Recording Studio

QUESTIONS AND ANSWERS No. 002

Date: April 9, 2018

To: Prospective Respondents

From: Procurement Operations Department, Houston Community College

Subject: Questions and Answers Responses

Q1.	<p>Per the on-site visit, we were informed that this system is to be designed for mobile solutions as well as in studio.</p> <p>If the PTZ's are to be mounted in the lighting grid, that configuration does not make the camera's very mobile.</p> <p>Additionally, The camera's then have a higher viewpoint at the talent creating an angle of view that is not direct with the talent, especially if they are seated.</p> <p>Option would be to use extended arms dropped down from the grid to create a better field of view, however, this would become hazardous for people to walk into the camera's.</p> <p>We supplied C-Mount stands with ball mounts to mount the PTZ's on.</p>
Response:	<p>C-stands are acceptable. Taking the system mobile was only mentioned for the purpose of having the equipment for switching out in a road case.</p> <p>We might consider taking the system in the road but we only wanted the switching unit and router/PoE switch in the road case.</p>

Balance of page intentionally left blank.